

by airlines, and emergencies (*e.g.*, fire or bomb threat).

Subpart I—Stowage of Wheelchairs, Other Mobility Aids, and Other Assistive Devices

§ 382.121 What mobility aids and other assistive devices may passengers with a disability bring into the aircraft cabin?

(a) As a carrier, you must permit passengers with a disability to bring the following kinds of items into the aircraft cabin, provided that they can be stowed in designated priority storage areas or in overhead compartments or under seats, consistent with FAA, PHMSA, TSA, or applicable foreign government requirements concerning security, safety, and hazardous materials with respect to the stowage of carry-on items.

(1) Manual wheelchairs, including folding or collapsible wheelchairs;

(2) Other mobility aids, such as canes (including those used by persons with impaired vision), crutches, and walkers; and

(3) Other assistive devices for stowage or use within the cabin (*e.g.*, prescription medications and any medical devices needed to administer them such as syringes or auto-injectors, vision-enhancing devices, and POCs, ventilators and respirators that use non-spillable batteries, as long as they comply with applicable safety, security and hazardous materials rules).

(b) In implementing your carry-on baggage policies, you must not count assistive devices (including the kinds of items listed in paragraph (a) of this section) toward a limit on carry-on baggage.

§ 382.123 What are the requirements concerning priority cabin stowage for wheelchairs and other assistive devices?

(a) The following rules apply to the stowage of passengers' wheelchairs or other assistive devices in the priority stowage area provided for in § 382.67 of this part:

(1) You must ensure that a passenger with a disability who uses a wheelchair and takes advantage of the opportunity to preboard the aircraft can stow his or

her wheelchair in this area, with priority over other items brought onto the aircraft by other passengers or crew enplaning at the same airport, consistent with FAA, PHMSA, TSA, or applicable foreign government requirements concerning security, safety, and hazardous materials with respect to the stowage of carry-on items. You must move items that you or your personnel have placed in the priority stowage area (*e.g.*, crew luggage, an on-board wheelchair) to make room for the passenger's wheelchair, even if these items were stowed in the priority stowage area before the passenger seeking to stow a wheelchair boarded the aircraft (*e.g.*, the items were placed there on a previous leg of the flight).

(2) You must also ensure that a passenger with a disability who takes advantage of the opportunity to preboard the aircraft can stow other assistive devices in this area, with priority over other items (except wheelchairs) brought onto the aircraft by other passengers enplaning at the same airport consistent with FAA, PHMSA, TSA, or applicable foreign government requirements concerning security, safety, and hazardous materials with respect to the stowage of carry-on items.

(3) You must ensure that a passenger with a disability who does not take advantage of the opportunity to preboard is able to use the area to stow his or her wheelchair or other assistive device on a first-come, first-served basis along with all other passengers seeking to stow carry-on items in the area.

(b) If a wheelchair exceeds the space provided for in § 382.67 of this part while fully assembled but will fit if wheels or other components can be removed without the use of tools, you must remove the applicable components and stow the wheelchair in the designated space. In this case, you must stow the removed components in areas provided for stowage of carry-on luggage.

(c) You must not use the seat-strap-ping method of carrying a wheelchair in any aircraft you order after May 13, 2009 or which are delivered after May 13, 2011. Any such aircraft must have the designated priority stowage space required by section 382.67, and you must permit passengers to use the